


ANARCHIC

GRESART.
CERAMIC TILES




ANARCHIC


GLAZED PORCELAIN TILES _GRÉS PORCELÂNICO VIDRADO _GRÈS CÉRAME ÉMAILLÉ
 FEINSTEINZEUG GLASIERT _GRÉS PORCELÁNICO
 EN 14411:2016 **GROUP** _GRUPO _GROUPE _GRUPPE **BI**




90X90 / 36"X36"

▼
9,5 MM
▲




60X120 / 24"X48"

▼
8,8 MM
▲




60X60 / 24"X24"

▼
7,8 MM
▲



30X60 / 12"X24"

▼
7,8 MM
▲




MOSAICO 4,7X4,7
30X30



MOSAICO LOSANGO
23,6X28



MOSAICO HEXAGONAL
26X31,5



MOSAICO 7,3X7,3
30X30



10X30

USAGE _USO

WALL, FLOOR, INTERIOR, EXTERIOR, COMMERCIAL, RESIDENTIAL




ANARCHIC WHITE



ANARCHIC FOG



ANARCHIC CREAM



ANARCHIC DEBRIS



ANARCHIC DARK









ANARCHIC



GLAZED PORCELAIN TILES _GRÉS PORCELÁNICO VIDRADO _GRÈS CÉRAME ÉMAILLÉ
FEINSTEINZEUG GLASIERT _GRÉS PORCELÁNICO
EN 14411:2016 GROUP _GRUPO _GROUPE _GRUPPE **BIa**



ANARCHIC WHITE DECOR
GP 0702



ANARCHIC FOG DECOR
GP 0704



ANARCHIC WHITE
GP 0697



ANARCHIC FOG
GP 0699



ANARCHIC CREAM DECOR
GP 0705




ANARCHIC DEBRIS DECOR
GP 0703



ANARCHIC CREAM
GP 0700



ANARCHIC DEBRIS
GP 0698



ANARCHIC DARK DECOR
GP 0706



ANARCHIC DARK
GP 0701

SUSTAINABILITY



WE MEET
LEED AND **BREEAM**[®]
REQUIREMENTS

Category	% recycled material included	Source
Ceramic Product, references of BREBARE		
Floor tiles, Glazed ceramic, Glazed porcelain	20-27%	Internal quality data, internal wastes from the process
Wall tiles, White body, Monocolors	25%	External data, external wastes




ECO-BODY



28%
RECYCLED

THIS PRODUCT IS
LEED ACCORDANT

ÉMISSIONS DANS L'AIR INTÉRIEUR*



A+

A+ A B C

GRÉS PORCELÂNICO • GLAZED PORCELAIN
GRÈS CÉRAME • FEINSTEINZEUG



DIN EN 16165
Annex B



DIN EN 16165
Annex A



DIN EN 16165
Annex C




ANSI A326.3



MOHS

FULL HD DIGITAL PRINTING TECHNOLOGY

VARIAÇÕES DE TONALIDADE • VARIATION IN TONE
VARIATIONS DE TONALITÉ • FARBABWEICHUNG



V3

Aleatória • Random • Aleatoire • Warnung

SURFACE _SUPERFÍCIE


MATT

FINISH _ACABAMENTO

NATURAL (NAT)
RECTIFIED (R)

SIZES _FORMATOS

90X90 R
60X120 R
60X60 R
60X60 NAT
30X60 R



SKIRTINGS _RODAPÉ 9X90
SKIRTINGS _RODAPÉ 9X120
SKIRTINGS _RODAPÉ 9X60
STEP _DEGRAU 45X90
STEP _DEGRAU 60X120
STEP _DEGRAU 60X60
STEP _DEGRAU TEC. 30X90
STEP _DEGRAU TEC. 30X120
STEP _DEGRAU TEC. 30X60

Gresart - Cerâmica Industrial S.A.
Apartado 39 - EC de Oliveira do Bairro | 3771-954 Oliveira do Bairro | Portugal
Tel. +351 234 740 200 | Fax. +351 234 747 462
gresart@gresart.com | www.gresart.com



TECHNICAL DATA

Grés Porcelânico Vidrado
Glazed Porcelain Tiles
Grés Cérame Émaillé
Feinsteinzeug Glasiert
Grés Porcelânico

EN 14411:2012	Características Técnicas Technical Data Caractéristiques Techniques Technische Daten Datos Técnicos	Norma de Ensaio Test Norm Norme du Test Testnormen Norma de Prueba	Anexo • Annex Annexe • Anhang Grupo • Group Groupe • Gruppe	Garantido Guaranted Garanti Gewährleistet Garantizado
	Comprimento e Largura Length and Width Longueur et Largeur Länge und Breite Longitud y Anchura		± 0,6 %	Garantido Guaranted Garanti Gewährleistet Garantizado
	Espessura Thickness Épaisseur Dichte Grosor		± 5 %	Garantido Guaranted Garanti Gewährleistet Garantizado
	Rectilinearidade das Arestas Edge Warpages Rectitude des Arêtes Geradlinigkeit der Kanten Rectitud de los Bordes	EN ISO 10545-2	± 0,5 %	Garantido Guaranted Garanti Gewährleistet Garantizado
	Medida da Ortogonalidade Rectangularity Angularité Rechtwinkligkeit der Kanten Grado de Ortogonalidad		± 0,5 %	Garantido Guaranted Garanti Gewährleistet Garantizado
	Medida da Planaridade Surface Flatness Planéité de la Superficie Ebenfächigkeit Medición de Planaridad		± 0,5 %	Garantido Guaranted Garanti Gewährleistet Garantizado
	Absorção de Água Water Absorption Absorption D'eau Wasseraufnahme Absorción de Agua	EN ISO 10545-3	E _b ≤ 0,5%	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência à Flexão Breaking Strength Résistance à la Flexion Biegefestigkeit Resistencia a la Flexión	EN ISO 10545-4	≥ 35 N/mm ²	Garantido Guaranted Garanti Gewährleistet Garantizado
			≥ 1300 N	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência à Abrasão Resistance to Abrasion Résistance à L'abrasion Abnutzungsbeständigkeit Resistencia a la Abrasion	EN ISO 10545-7	Segundo os Valores do Fabricante According to Manufacturer Requirements Selon les Valeurs du Fabricant Gemäss der Werte des Herstellers Según los Valores del Fabricante	Indicação na Tabela de Preços Indication on Price List Indication sur la Liste de Prix Hinweis auf der Preisliste Indicación en la Tabla de Precios
	Resistência ao Choque Térmico Resistance to Thermal Shock Résistance aux Chocs Thermiques Resistenz Gegen Thermischen Schock Resistencia ao Choue Térmico	EN ISO 10545-9	Exigido Required Exigée Gefordert Exigido	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência ao Fendilhamento Cracking Resistance Résistance aux Tréssaillures Abnutzungsbeständigkeit Resistencia a lo Agrietado	EN ISO 10545-11	Exigido Required Exigée Gefordert Exigido	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência ao Gelo Frost Resistance Résistance au Gel Frostbeständigkeit Resistencia al Hielo	EN ISO 10545-12	Exigido Required Exigée Gefordert Exigido	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência aos Ácidos e Bases Resistance against Acids and Bases Résistance aux Acides et Bases Beständigkeit Gegen Säuren u Laugen Resistencia a los Ácidos y Bases	EN ISO 10545-13	Segundo os Valores do Fabricante According to Manufacturer Requirements Selon les Valeurs du Fabricant Gemäss der Werte des Herstellers Según los Valores del Fabricante	Mínimo: GLB Minimum: GLB Minimum: GLB Minimum: GLB Minimum: GLB
	Resistência aos Produtos de Limpeza Domésticos Resistance to Household Cleaning Products Résistance aux Produits Ménagers de Nettoyage Beständigkeit Gegen Haushaltsprodukte Resistencia a los Productos de Limpieza Domésticos		Mínimo: GB Minimum: GB Minimum: GB Minimum: GB Minimum: GB	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência às Manchas Staining Resistance Résistance aux Taches Beständigkeit Gegen Flecken Resistencia a las Manchas	EN ISO 10545-14	Mínimo: Classe 3 Minimum: Class 3 Minimum: Classe 3 Minimum: Klasse 3 Minimum: Clase 3	Garantido Guaranted Garanti Gewährleistet Garantizado

GRESART. 
C E R A M I C T I L E S